




OPTION 1



OPTION 2




SLOT SHALL HAVE A SMOOTH FINISH, FREE OF CONCRETE PROJECTIONS.



NOTES:

1. BOX SHALL BE CONSTRUCTED OF POLYMER CONCRETE OR OTHER APPROVED MATERIAL. CONCRETE BOXES WILL NOT BE ACCEPTED.
2. SEE STANDARD T2-4 FOR TYPICAL PULL BOX INSTALLATION DETAILS.
3. SEE THIS SHEET FOR LIFT EYE SLOT DETAIL.
4. COVER LETTERING SHALL BE 1" LETTERS. LETTERING SHALL READ "TRAFFIC SIGNALS" FOR TRAFFIC SIGNAL BOXES OR "COG COMMUNICATIONS" FOR ITS/INTERTIE/FIBER OPTIC PULL BOXES.
5. FOR PULL BOXES WITH EXTENSIONS, THE BOXES MAY BE STACKED.
6. ALL HARDWARE REQUIRED TO SECURE THE LID SHALL BE SUPPLIED BY THE CONTRACTOR.
7. THE BOXES AND DIMENSIONS SHOWN HERE ARE FOR DEMONSTRATION PURPOSES. BOXES THAT ARE SIMILAR IN SIZE AND FUNCTION MAY BE SUBSTITUTED. THE CONTRACTOR SHOULD GET WRITTEN APPROVAL FROM THE ENGINEER PRIOR TO ORDERING THE MATERIALS.
8. ONE - 5/8" X 8' COPPER-CLAD GROUND ROD (10 MILS MIN) SHALL BE INSTALLED IN ONE CORNER OF PULL BOX.



STRAIGHT TYPE PENTAHEAD BOLT

Approximate Dimensions (IN.)									
Box Type	Size	A	B	C	D	E	F	G	H
1	12 X 12	12 7/8	12 7/8	3/4	14 3/4	14 3/4	12 3/4	12	12
1.5	8 X 18	18 1/8	11 1/4	1 3/4	20 1/4	13 3/8	12	10 1/8	17
Box Type	Size	AA	BB	CC	DD	EE	FF	GG	HH
3.5	11 X 18	19	11 1/4	1 3/4	22 1/4	15 5/8	12	10 1/8	16 3/4
5	13 X 24	23 1/8	13 3/4	2	29	19 1/5	12	12 1/2	22
7	17 X 30	30 1/2	17 1/2	2	36 7/8	24	12	16 1/4	29 3/8

SIGNATURES
ON FILE



CITY OF GLENDALE
TRAFFIC SIGNAL AND ITS STANDARDS
TRAFFIC SIGNAL AND ITS PULL BOXES

REVISION:
4/2013
T2-1